

BASIDIOMYCOTA families A-E

AGARICALES

Sedecula

pulvinata Zeller -MICH-

AGARICACEAE

Agaricus

albolutescens Zeller -UTC-

amicosus Kerrigan

annae Pilát

arvensis Shaeff. (if other then = A. osecanus)

augustus Fr.

benesii (Pilát) Pilát

bisporus (J.E. Lange) Pilát

bitorquis (Quel.) Sacc. -UTC-

campestris Fr. -UTC-

comtulus Fr.

crocodilinus Murrill

var. crocodilinus

var. mutabilis

cupreobrunneus (Jul. Schaeff. & Steer) F.H. Møller

diminutivus Peck

elwahaensis

excellens (F.H. Møller) F.H. Møller

flavitingens

fuscofibrillosus (F.H. Møller) Pilát

haemorrhoidarius Schulzer (if other then = A. langei)

hondensis Murrill

nangei (F.H. Møller & Jul. Schaef.) Singer

naucinus (Fr.) Singer -UTC-

nivescens (F.H. Møller) F.H. Møller

oscecanus Pilát -UTC-

pampeanus

pattersonae Peck

pediades W.G. Sm.

Praeclarosquamosus A.E. Freeman

purpurellus (F.H. Møller) F.H. Møller

semotus Fr.

silvaticus Schaeff.

Silvicola (Vittad.) Peck

xanthodermus Genev.

Chlorophyllum

molybdites (G. Mey.) Massee

Endoptychum

agaricoides Czerniaiev

arizonicum (Shear & Griffiths) Singer & A.H. Smith

depressum Singer & A.H. Smith

Lepiota

acutosquamosa

alba (Bres.) Sacc.

Aspera (Pers.) Quel.

Atrodisca Zeller

barssii Zeller
castanea Quel.
Clypeolaria (Bull.) Quel. (if sensu Rea = L. magnispora)
clypeolarioides Rea
cristata Barla or (Alb. & Achwein.) Quel.
Decorata Zeller
erminea (Fr.) Gillet
flammeatincta Kauffman
fuscusquamamea Peck
glabridisca Sundb.
Helveola Barla or Bres. (if sensu Rea = L. brunneoincarnata Chodat & C. Martin, if sensu D.A. Reid = L.
brunneolilaceae Bon & Boiffard)
magnispora Murrill
molybdites G. Mey.
Naucina (Fr.) P. Kumm.
Pulcherrima Graff (sensu Kauffman)
rubrotincta Peck
subincarnata J.E. Lange
ventriospora D.A. Reid

Leucoagaricus

leucothites (Vittad.) M.M. Moser
naucina (Fr.) Singer

Leucocoprinus

americanus (Peck) Redhead
birnbaumii (Corda) Singer

Longula

texensis (Berk. & M.A. Curtis) Zeller

Macrolepiota

rachodes (Vitt.) Singer

Melanophyllum

echinatum (Roth) Singer

Montagnea

arenaria (DC) Zeller -MICH, UBC-

Podaxis

pistillaris (Pers.) Fr. -BPI-

Secotium

acuminatum Mont. -BPI-

agaricoides Hollos -BPI-

ALBATRELLACEAE

Albatrellus

confluens (Alb. & Schwein.) Kotl. & Pouzar
flettii Pouzar
hirtus (Quel.) Donk
ovinus (Schaeff.) Kotl. & Pouzar

ALTHIACEAE

Leptosporomyces

cervaria (W. Phillips) Brumm.

Galzinii (Bourdot) Julich

Plicaturopsis

crispa (Pers.) D.A. Reid

AURICULARIACEAE

Hirneola

auricula-judae (L.) Berk. -BPI, UBC, UTC- (as Auricularia auricula)

AURISCALPIACEAE

Auriscalpium

vulgare Gray

Clavicornia

avellanea Leathers & A.H. Smith

divaricata Leathers & A.H. Smith

pyxidata (Pers.) Donk -TENN-

taxophyla (Thom.) Doty

Lentinellus

cochleatus Hoffm.

Montanus O.K. Miller -UTC-

omphalodes (Fr.) P. Karst [if sensu Pearson & Dennis, non sensu Fr. = L. flabelliformis (Bolton) S. Ito]

ursinus (Fr.) Kuhn

vulpinus (Sowerby) Kühner & Maire

BANKERACEAE

Hydnellum

regium K.A. Harrison

Sarcodon

imbricatus (L.) P. Karst -BPI-

modestus -BPI (Holotype)-

scabrosus (Fr.) Quel.

BOLBITACEAE

Agrocybe

acericola (Peck) Singer

aegerita (V. Brig.) Singer

dura (Fr.) Singer -UTC-

gastromycetoides Watling

pediades (Fr.) Fayod -UTC-

sororia -UTC-

Anellaria

phalaenerum

Bolbitius

cucullatus Shope & Seaver

variicolor G.F. Atk.

Vitellinus (Pers.) Fr. -UTC-

Conocybe

filaris (Fr.) Kühner

lactea (Lange) Metrod -UTC-

tenera (Schaeff.) Fayod

Hebeloma

- aggregatum** A.H.Smith, V.S. Evenson, & Mitchell
alpinicola A.H.Smith, V.S. Evenson, & Mitchell
crustiliniforme (Bull.) Quel.
Fastible (Fr.) Quel. Or (Pers.) S. Imai (if sensu NCL, sense J.E. Lange = *H. mesophaeum* var. *crassipes* Vesterh.)
idahoense A.H.Smith, V.S. Evenson, & Mitchell
insigne A.H.Smith, V.S. Evenson, & Mitchell -UTC-
kanouseae A.H.Smith, V.S. Evenson, & Mitchell
kauffmanii A.H.Smith, V.S. Evenson, & Mitchell
kelloggense A.H.Smith, V.S. Evenson, & Mitchell
latisporum A.H.Smith, V.S. Evenson, & Mitchell
marginatulum (J. Favre) Brucher
mesophaeum Fr.
var. *subobscurum* A.H.Smith, V.S. Evenson, & Mitchell
olympoanum A.H.Smith, V.S. Evenson, & Mitchell
praeolidum A.H.Smith, V.S. Evenson, & Mitchell
pseudofastibile A.H.Smith, V.S. Evenson, & Mitchell
var. *distans* A.H. Smith
riparium A.H.Smith, V.S. Evenson, & Mitchell
sacchariolum Quel.
Valmonense A.H.Smith, V.S. Evenson, & Mitchell
sinapizans A.H.Smith, V.S. Evenson, & Mitchell -UTC-
strophosum (Fr.) Sacc.
Var. *occidentale* A.H.Smith, V.S. Evenson, & Mitchell
utahense A.H.Smith, V.S. Evenson, & Mitchell -MICH-
vinaceogriseum A.H.Smith, V.S. Evenson, & Mitchell

Panaeolina

- foenisecii** (Pers.) Maire
sp.

Panaeolus

- acuminatus** (Schaeff.) Quel. -UTC-
campanulatus (Bull. ex Fr.) Quel.
Castaneifolius (if sensu auct. Eur. = *P. olivaceus* F.H. Møller)
fimicola (Pers.) Gillet -UTC-
papilionaceus (Bull.) Quel.
Retrugis (Fr.) Gillet (if sensu auct. Brit. = *P. papilionaceus* var. *parvisporus* Ew. Gerhardt.)
semiovatus (Sowerby) S. Lundell & Nannf. -UTC-
sphinctrinus (Fr.) Quel.
Subbalteus (Berk. & Broome) Sacc. -UTC-

BOLETACEAE

Boletellus

- mirabilis** (Murrill) Singer

Boletus

- barrowsii** Thiers & Smith -UTC-
calopus Pers.
chrysenderon Bull. -UTC-
coniferarum E.A. Dick & Snell
edulis Bull. -NY, UTC-
var. **pinicola** Vittad. -NY-
eastwoodiae (Murrill) Sacc. & Trotter
fragrans Vittadini -UTC-
frustosus Snell & E.A. Dick

granulatus L. (if Bull. = Suillus granulatus)
olivaceobrunneus Zeller & F.D. Bailey
oregonensis Murrill
pinicola (Vittad.) A. Venturi
porosporus (Imler ex Bon & G. Moreno) Watling -UTC-
pulchellus Fr.
truncatus (Singer, Snell & E.A. Dick) Pouzar
subvelutipes Peck -NY-

Ceratomyces
zelleri Murrill

Chalciporus
piperatus (Bull.) Bataille

Chamonixia
brevicolumna A.H. Smith & Singer -BPI-

Gastroboletus
turbinatus (Snell) A.H. Smith & Singer
forma flammeus A.H. Smith in A.H. Smith & Singer

Leccinum
atrostipitatum A.H. Smith, Thiers & Watling
aurantiacum (Bull.) Gray -UTC-
boreale A.H. Smith, Thiers & Watling
clavatum A.H. Smith, Thiers & Watling
discolor A.H. Smith, Thiers & Watling
fallax A.H. Smith, Thiers & Watling
fibrillosum A.H. Smith, Thiers & Watling
holopus (Rostk.) Watling
idahoense A.H. Smith, Thiers & Watling
incarnatum A.H. Smith, Thiers & Watling
insigne A.H. Smith, Thiers & Watling -NY-
var. luteopallidum A.H. Smith, Thiers & Watling
rotundifolia (Singer)
scabrum (Bull.) Gray -NY-
forma scabrum
solheimii
subalpinum Thiers -NY, UTC-
subtestaceum A.H. Smith, Thiers & Watling
var. angustisporum A.H. Smith & Thiers
truebloodii A.H. Smith, Thiers & Watling
vulpinum Watling

Phylloporus
arenicola A.H. Smith & Trappe
rhodoxanthus (Schwein.) Bres. -NY-

Porphyrellus
amylosporus A.H. Smith

Tylopilus
amylosporus

BONDARZEWIACEAE
Bondarzewia

berkeleyi (Fr.) Bondartsev & Singer
montana (Quel.) Singer

Heterobasidion

annosum (Fr.) Bref. -BPI-

BOREOSTERACEAE

Veluticeps

fimbriata (Ellis & Everh.) Nakasone -NY-

CANTHARELLACEAE

Cantharellus

bonarii Morse

cibarius Fr. -UTC-

floccosus Schwein.

forma rainieriensis A.H. Smith & Morse

subalbidus A.H. Smith & Morse

Craterellus

cinereus (Fr.) Quel.

Cornucopioides (L.) Pers.

CLAVARIACEAE

Clavaria -BPI-

abietina Pers.

americana R.H. Petersen

formosa Pers. or Krombh. -BPI-

fumosa Pers. -BPI-

ligula Schaeff. Or Fr.

neonigrita R.H. Petersen

purpurea Schaeff. Or Fr.

vermicularis Scop.

Multiclavula

corynoides (Peck) R.H. Petersen

CLAVICIPITACEAE

Cordyceps

gracilis (Grev.) Durieu & Mont.

CLAVULINACEAE

Clavulina

cristata (Holsk.) J. Schrt.

CONIOPHORACEAE

Serpula

destruens (Pers.) Gray

domestica (Falck) Bondartsev

himantioides (Fr.) P.Karst. -UTC-

lacrymans (Wulfen) J. Schot. -BPI, UTC-

COPRINACEAE

Coprinus

atramentarius (Bull.) Fr. -UTC-

comatus Fr. -UTC-

disseminatus (Pers.) Gray

ephemereus (Bull.) Gray

impatiens (Fr.) Quel.
Lagopus (Fr.) Fr.
marcidus Bogart
micaceus (Bull.) Fr. –UTC-
nieus (Pers.) Fr.
ovatus (Schaeff.) Fr.
plicatilis (Curtis) Fr. –UTC-

Lacrymaria

velutina (Pers.) Konrad & Maubl.

Psathyrella

abieticola A.H. Smith
acuticystis A.H. Smith
albescens Hesler & A.H. Sm. In A.H. Smith
alboaltutacea A.H. Smith
alnicola
ambusta
annulata A.H. Smith
argentata A.H. Smith
artemisiae (Pass.) Konrad & Maubl.)
atomata (Fr.) Quel.
Atrofolia (Peck) A.H. Smith
barrowsii
borealis A.H. Smith
boulderensis A.H. Smith
candolleana (Fr.) Maire
var. candolleana
canoceps (Kauffman) A.H. Smith
carbonicola A.H. Smith
cheyennensis
circellatipes Benoist
var. microspora A.H. Smith
communis
conopila (Fr.) Pearson & Dennis
crassulistipes A.H. Smith
deserticola A.H. Smith
echiniceps (G.F. Atk.) A.H. Smith
ellenae A.H. Smith
elwhaensis A.H. Smith
equina A.H. Smith
ferruginea
fragrans A.H. Smith
frustulenta (Fr.) A.H. Sm.
Fulva A.H. Smith
fulvobrunnea A.H. Smith
fulvoumbrina A.H. Smith
fuscospora
georgiana
gossypina (=P. artemisiae (Pass.) Konrad & Maubl.)
gracilis (Fr.) Quel. –UTC-
grasmerensis Trueblood & A.H. Smith in A.H. Smith
griseopallida Thiers & A.H. Smith in A.H. Smith
hydrophila (=P. piluliformis (Bull.) P.D. Orton)
hymenocephala
idahoensis A.H. Smith

incerta (Peck) A.H. Smith
indecorosa A.H. Smith
iterata A.H. Smith
kauffmanii (Peck) Singer
leptidotoides A.H. Smith
limicola
 var. subpectinata A.H. Smith
littenii A.H. Smith
longistriata (Murrill) A.H. Smith
luteovelata A.H. Smith
mesocystis A.H. Smith
minima Peck
monticola A.H. Smith
mucrocystis A.H. Smith
naucoria A.H. Smith
naucorioides A.H. Smith
nezpercii A.H. Smith
nolitangere (Fr.) A. Pearson & Dennis
obtusata (Pers.) A.H. Smith
owyheensis A.H. Smith
pallida A.H. Smith
paradoxa A.H. Smith
parvivelosa
payettensis A.H. Smith
piluliformis (Bull.) P.D. Orton -UTC (as *P. hydrophila*)-
populorum Trueblood & A.H. Smith in A.H. Smith
praetenuis
pratensis A.H. Smith
pseudolimicola A.H. Smith
pseudotrepida A.H. Smith
psiilocyboides A.H. Smith
rigidipes (Peck) A.H. Smith
roothaanensis A.H. Smith
rubescens A.H. Smith
rufogrisea
 var. bonnerensis A.H. Smith
 var. riparia A.H. Smith
salictaria A.H. Smith
similis (C.S. Parker) A.H. Smith
solheimii McKnight & A.H. Smith in A.H. Smith
spadicea (Schaeff.) Singer or (Fr.) Singer -UTC-
spadiceogrisea (Schaeff.) Maire
sp.
Sphaerocystis P.D. Orton
sphagnicola (Maire) J. Favre
subcaerulea
 var. velata A.H. Smith
subcinnamomea A.H. Smith
sublateritia A.H. Smith
sublongipes A.H. Smith
subnuda (P. Karst.) A.H. Sm.
Subradicata
tenera Peck
uliginicola McKnight & A.H. Smith in A.H. Smith -UTC-
utahensis McKnight & A.H. Smith in A.H. Smith -MICH-
variata A.H. Smith
velibrunnescens A.H. Smith

vesiculocystis
wapinitaensis Kempton & A.H. Smith in A.H. Smith
warrenensis
weberi (Murrill) Singer

CORTICIACEAE

Corticium

corrugae Burt -BPI-
radiosum Burt -BPI-

CORTINARIACEAE

Cortinarius

absarokensis M.M. Moser & McKnight
albonigrellus J. Favre
alboviolaceus (Pers.) Fr.
ahsii McKnight -BPI, BRY-
allutus Fr.
alnetorum (Velen.) M.M. Moser
amoenolens Rob. Henry ex P.D. Orton
anomalus Fr.
armeniacus (Schaeff.) Fr.
armillatus (Alb. & Schwein.) Fr.
arquatus (Alb. & Schwein.) Fr.
aurora M.M. Moser & Ammirati
balteatus Fr. (if sensu auct. = *C. balteatocumatilis* Rob. Henry ex P.D. Orton)
bigelowii
callisteus Fr.
calochrous (Pers.) Fr. (if sensu Rea, Cooke = *C. xanthochrous*)
 subsp. coniferarum (M.M. Moser) Brandrud, H. Lindstr., H. Markl., Melot & Muskos
camphoratus Fr.
cedretorum Maire
chrysomallus Lamoure
cinnamomeus (L.) Fr.
clandestinus
collinitus (Pers.) Fr.
crassus Fr. -UTC-
croceus Fr. or (Schaeff.) Hoil or (Schaeff.) Bighead & H. Guill.
Dilutus (Pers.) Fr.
diosmus Kühner
duracinus Fr. -UTC-
elegantior Fr.
 var. americanus M.M. Moser & McKnight
eletoides M.M. Moser & McKnight
evernius Fr.
favrei D.M. Hend.
Fraudulosus Britzelm.
Fulvo-ochrascens Rob. Henry
galerinoides Lamoure
gentilis Fr.
glaucopus (Schaeff.) Fr.
hinnuleus Fr. or Rob. Henry
idahoensis Ammirati & A.H. Smith
inops J. Favre
irregularis Fr.
magnivellatus Dearn. ex Fogel -MICH-
malachius Fr.

metarius Kauffman
 mucosus Fr.
multiformis Fr. –UTC-
 muscigenus Peck
 nemorensis (Fr.) J.E. Lange
 obtusus Fr.
 orellanoides Rob. Henry
 orellanus Fr.
 orichalceus (Batsch) Fr.
 papulosus Fr.
 paragaudis Fr.
 pinetorum
 ponderosus A.H. Smith
 punctatus (Pers.) Fr.
 pyriodorus
 rainierensis A.H. Smith & Stuntz
 rigidus (Scop.) Fr.
 rubellus Cooke
 rusticus P. Karst.
 Saturninus (Fr.) Fr.
saxamontanus Fogel -MICH-
 scandens Fr.
 semisanguineus (Fr.) Gillet
 speciosissimus Kühner & Romagn.
 subfoetidus
 traganus Fr.
 triformis Fr.
 trivialis J.E. Lange
 valgus Fr.
 variosimilis Malençon
 venetus (Fr.) Fr.
 var. montanus Moser
 vibratilis Fr.
 violaceus (L.) Fr.
zinziberatus (Scop.) Fr. –UTC-

Crepidotus

applanatus (Pers.) Fr.
 var. applanatus Pers.
 cinereus
 cinnamomeus Hesler & A.H. Smith
 cornucopioides
 crocophyllus Berk.
 Ellipsoideus Hesler & A.H. Smith
 epibryus Fr.
 fimbriatus Beeli
 herbarum Peck
 kauffmanii Hesler & A.H. Smith
 lanuginosus Hesler & A.H. Smith
 malachus (Berk. & M.A. Curtis) Sacc.
 Var. trichifer Hesler & A.H. Smith
 mollis (Schaeff.) Fr.
 var. mollis (Fr.) Staude
 montanensis
 pallidobrunneus Hesler & A.H. Smith
 pallidoluteus
 payettensis Hesler & A.H. Smith

pubescens Bres. [if sensu Kühner & Romagnesi = C. epibryus; sensu A.A. Pearson = C. luteolus (Lambotte) Sacc.]
regularis Hesler & A.H. Smith
stratosus Hesler & A.H. Smith
subsphaerosporus (Lange) Kühner & Romagn
sububer Hesler & A.H. Smith
variabilis Quel.
 Var. trichocystis Hesler & A.H. Smith
versutus Peck
villosus Hesler & A.H. Smith

Galerina

anelligera A.H. Smith & Singer
annulata (J. Favre) Singer
atkinsoniana A. H. Smith
 var. atkinsoniana
arctica (Singer) Nezdobjm
autumnalis (Peck) A.H. Smith & Singer
 var. autumnalis
borealis A.H. Smith & Singer
castanescens A.H. Smith & Singer
cedretorum (Maire) Singer -UTC-
 var. bispora A.H. Smith & Singer
 var. cedretorum
cerina A.H. Smith & Singer
 var. brachycystis A.H. Smith & Singer
 var. bresadolae A.H. Smith & Singer
 var. cerena A.H. Smith & Singer
 var. longicystis A.H. Smith & Singer
 var. luteovelata A.H. Smith & Singer
cuspidata A. H. Smith
decipiens A.H. Smith & Singer
 var. desipiens
diabolissima A. H. Smith
emmetensis
fallax A. H. Smith
 forma fallax A.H. Smith & Singer
fontinalis A. H. Smith
funariae A.H. Smith & Singer
graveolens Vittad.
Heterocystis (G.F. Atk.) A.H. Smith & Singer
lateritia
mainsii A.H. Smith & Singer
mammillata (Murrill) A.H. Smith & Singer
marginata (Batsch) Kühner
minima (Peck) A.H. Smith & Singer
mniophila (Lasch) Kühner
nana (Petri) Kühner
nordmaniana A.H. Smith & Singer
oreina A.H. Smith & Singer
paludosa (Fr.) Kühner
payettensis A.H. Smith & Singer
perplaxa A.H. Smith in A.H. Smith & Singer
pistillicystis
pseudostylifera
pubescentipes A.H. Smith & Singer
pumila (Pers.) M. Lange
 var. pumila
 var. subalpina A.H. Smith in A.H. Smith & Singer
semilanceata (Peck) A.H. Smith & Singer

sideroides (Bull.) Fr.
stylifera (G.F. Atk.) A.H. Smith & Singer
 var. *badia* A.H. Smith & Singer
 var. *velosa* A.H. Smith & Singer
subbadipes Huijsman
subcerina A.H. Smith & Singer
 var. *subcerina*
subochracea A.H. Smith
tibiicystis (G.F. Atk.) Kühner
triscopa (Fr.) Kühner
 var. *triscopa*
 forma *longicystis* A.H. Smith & Singer
umbrinipes A. H. Smith
unicolor (Vahl) Singer
vittaeformis (Fr.) Singer
 forma *vittaeformis*
 forma *bispora* A.H. Smith & Singer
 forma *tetraspora* (Fr.) Singer

Gymnopilus

aeruginosus (Peck) Singer
bellulus (Peck) Sacc. -UTC-
croceoluteus
flavidellus Murrill
humidellus
humicola
liquiritiae (Pers.) P. Karst.
Nevadensis Guzm.-Dáv. & Guzmán
penetrans (Fr.) Murrill
picreus (Pers.) P. Karst.
Punctifolius (Peck) Singer
rufobrunneus Hesler
sapineus (Fr.) Maire
spectabilis (Fr.) Singer
terrestris Hesler
ventricosus (Earle) Hesler

Inocybe

bulbosissima (Kühner) Bon
calamistrata (Fr.) Gillet
chelanensis D.E. Stuntz
decipiens Bres. (if sensu Heim, sensu A.A. Pearson = *I. curvipes* P. Karst.)
cervicolor (Pers.) Quél.
Dulcamera (Alb. & Schwein.) Quél.
Eutheloides Peck
fastigiata (Schaeff.) Quél. (1872) = *I. rimosa*
flavella P. Karst.
Flocculosa Henn.
Fraudens (Britzelm.) Sacc.
Fuscomarginata Kühner
geophylla (Sowerby) Quél.
Giacomi O.K. Miller
griseoililacina J.E. Lange
hirsuta = *I. cervicolor* (Pers.) Quél.
 Var. *maxima* Smith sensu Grund & Stuntz
lacera (Fr.) Quél.
 Forma *alpine-americana*
lanuginosa (Bull.) Gillet -UTC-

leiocephala D.E. Stuntz
leptophylla G.F. Atkinson -UTC-
leucoblema Kühner
lilacina (Peck) Kauffman
nodulispora Peck
malenconii R. Heim
mixtillis (Britzelm.) Sacc.
Nodulospora (Peck) Saccardo -UTC-
peronata J. Favre
peronatella J. Favre
praetervisa Quel.
Rimosa (Bull.) Quel. Or Britzelm. Or Gillet
forma argentata (Kühner) Courtec.
Sindonia (Fr.) P. Karst.
Sororia Kauffman
subcarpta Kühner & Boursier
subdestricta
subhirsuta Kühner
taxocystis (J. Favre & E. Horak) Senn-Irlet

Leucocortinarius
bulbiger (Fr.) Singer

Melanomphalia
smithii

Mycolevis
siccigleba A.H. Smith -MICH-

Phaeocollybia
attenuata (Smith) Singer -UTC-
deceptiva A.H. Smith & Trappe
fallax A.H. Smith

Phaeomarasmius
erinaceella Peck
granulosus (J.E. Lange) Singer

Rozites
caperatus (Pers.) P. Karst.

Stagnicola
perplexa (P.D. Orton) Redhead & A.H. Smith

Thaxterogaster
pinguis (Zeller) Singer & A.H. Smith -BPI, MICH, OSC-

Tubaria
confragosa (L.) Kühner
furfuracea (Pers.) Fr.

DACRYMYCETACEAE

Calocera
cornea (Batsch) Fr.
viscosa (Pers.) Fr.

Dacrymyces

minor Peck

palmatus (Schwein.) Bres. -UTC-

stillatus Nees -UTC-

Guepiniopsis

alpina (Tracy & Earle) Bres. -BPI, UBC, UTC-

chrysocoma (Bull.) Brasf.

ENDODONTIACEAE

Laurilia

sulcata (Burt) Pouzar

ENTOLOMATACEAE

Alboleptonia

earlei (Murrill) Largent & R.G. Benedict

sericella (Fr.) Largent & R.G. Benedict

var. lutescens (Henn.) anon.?

Claudopus

byssisedus (Pers.) Fr.

parasiticus (Quél.) Ricken

Clitopilus

hobsonii (Berk. & Broome) P.D. Orton

prunulus (Scop.) Fr.

Entoloma

alnobetulae (Kühner) Noordel

alpincola (J. Favre) Bon & Jamoni

brunnescipes Largent

cetratum (Fr.) M.M. Moser

grande Peck

hebes (Romagn.) Trimbach

hirtipes (Schumach.) M.M. Moser

jubatatum Fr.

juncinum (Kühner & Romagn.) Noordel

livideoalbum (Kühner & Romagn.) M.M. Moser

lividum (Bull.) Quel.

Lyophylloidium

nidorosum (Kühner & Romagn.) Kubickal.

Niphoides Romagn. ex Noordel

pseudocostatum

pseudolividum

rhodopolium Fr. or Berk. Broome (if sensu suct. Brit. = E. sericatum)

sericatum (Britz.) Sacc.

Speculatum Fr. sensu Pilat

vernum S. Lundell

wyomingense Zundel

Inocephalus

furfuraceodiscus Largent

rhomboisporus (Kühner & Boursier) Largent

Leptonia

albinella Peck

decolorans (E. Horak) Largent
 forma decolorans
earlei (Fr.) Gillet
formosa (Fr.) Gillet
 var. formosa
 var. microspora Largent
fuligineomarginata
gracilipes Peck
incana (Fr.) Gillet
lutulenta Largent
strictipes Peck
subnigra (Murrill) Murrill
subrubinea Largent & B.L. Thomps.
Subviduense Largent
 var. subviduense
 var. marginata Largent

Nolanea

bicoloripes Largent & Thiers
californica (Murrill) Largent
cetrata (Fr.) Quél. = Entoloma cetratum
clandestina (Fr.) Gillet
 var. oculobrunnea Largent
edulis Largent -MICH-
 var. edulis -MICH-
 var. concentrica
hebes (Romagn.) P.D. Orton
hirtipes (Schumach.) Quél. [if sensu NCL, sensu R. Phillips = N. hebes]
holoconiota Largent & Thiers
incanosquamulosa Largent
latifolia
minutostriata Largent
obscurata Largent
proxima Largent
 forma proxima
 forma inodorata Largent
pseudopapillata Pegler
pseudistrictia Largent
sericea (Bull.) P.D. Orton
staurospora Bres.
 Var. staurospora f. discoloripes Largent
 var. incrustata Largent & Thiers
strictia (Peck) Largent
substrictia Largent
verna (S. Lundell) Kotl. & Pouzar = Entoloma vernum
 var. isodiametrica Largent

Paraeccilia

perundata (Largent & B.L. Thomps.) Largent
sericeonitida (P.D. Orton) Largent
 var. sericeonitida
 var. ligniphila Largent
triste (Bres.) Singer

Rhodocybe

nitellina (Fr.) Singer
popinalis (Fr.) Singer

Trichopilus

plebeiodes (Schulzer) Largent

EXIDIACEAE

Exidia

glandulosa (Bull.) Fr.

nucleata (Schwein.) Burt

Pseudohydnum

gelatinosum (Scop.) P. Karst.

Tremiscus

helvelloides (DC.) Donk